


Statement
LUXURY



— 600X1200MM —

Carving
COLLECTION



About Us

EDDICA CERAMICS offers several types of Ceramic & Vitrified tiles to compliment any environmental imagination. We supply the most durable & delightful material in all over the world.

We are leader in manufacturing & exporting of ceramic & vitrified tiles from India for wall and floor coverings of residential, retail and industrial projects. The promoters of EDDICA CERAMICS have a vast 15 Years experience in this industries, Which makes EDDICA CERAMICS as one of the most reputed & reliable brand worldwide.

With a range of more collections, EDDICA CERAMICS has been adding to the prestige of Italian-made coverings world-wide from 2016, and is constantly demonstrating its commitment to the creation of tiles with high technical and stylistic value, characterized by leading-edge design of an excellence reflected by prizes and awards.

Digital Glazed Vitrified Tiles

Eddica Ceramics presents a new collection of Digital Glazed Vitrified Tiles made with glazed surfaces with the use of digital technology for printing exquisite designs printed on the glaze coating, resulting in a wide range of beautiful tile designs according to the trends. There are a multitude of design possibilities, encompassing design variations, high-resolution printing, and sharper finishes.

Advantages Features



LONG DURABILITY



EASY TO CLEAN



IMPACT RESISTANCE



FIRE RESISTANCE



CHEMICAL RESISTANCE



FROST RESISTANCE



LOW WATER ABSORPTION

Tiles Use In Application



RESIDENTIAL



COMMERCIAL



HOTEL & RESTAURANT



HOSPITAL



AIRPORT



SCHOOL & COLLEGE



GYMNASIUM



MALL & SUPER MARKET



SPA




RELIGIOUS PLACE



HALL CORRIDOR



INDUSTRY



Carving

COLLECTION

600X1200MM

— GVT & PGVT —

Experience the exquisite CARVING COLLECTION, featuring one-of-a-kind designs where intricate veins are delicately carved into each tile, adding a touch of opulence to your space. What enhances the allure of this carving effect is its exceptional resistance to stains and scratches, making it not only visually stunning but also easy to maintain.



ASTORIA WHITE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT




FROST RESISTANT



ATTERA CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



BRAZILIAN VERDE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



CALACATTA BIANCO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT




RESISTANT
TO UV RAYS



IMPACT
RESISTANT



FROST
RESISTANT




CANNES WHITE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



CANVA BIANCO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




DUKE BEIGE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05




-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



ENZO GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



ESPANIOL CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04




-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



FABIO CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



FABIO GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



FRIDO BEIGE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- Liquid Repellent
- Stain Resistant
- Scratch Resistant
- Fire Resistant
- Resistant to UV Rays
- Impact Resistant
- Frost Resistant




FRIDO GREY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



GOTHIC BROWN

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT




RESISTANT TO UV RAYS



IMPACT RESISTANT




FROST RESISTANT




GOTHIC GRAFITO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LAGOS CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05




- Liquid Repellent
- Stain Resistant
- Scratch Resistant
- Fire Resistant
- Resistant to UV Rays
- Impact Resistant
- Frost Resistant




LAGOS GREY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




LAGOS MUDDY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



LIGHTNING CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05





- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



LUXOR CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




RIVALTA GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03




- Liquid Repellent
- Stain Resistant
- Scratch Resistant
- Fire Resistant
- Resistant to UV Rays
- Impact Resistant
- Frost Resistant




STONEART GRAFITO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT




TERRASTONE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04




-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



TERRAZO AZUL

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT




RESISTANT TO UV RAYS



IMPACT RESISTANT





FROST RESISTANT




TERRAZO BIANCO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



TERRAZO BLUE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT




RESISTANT TO UV RAYS



IMPACT RESISTANT




FROST RESISTANT




TERRAZO BROWN

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03





- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



TERRAZO CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03




-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT




TERRAZO GREY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



TRANS CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



VITA CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



VITA GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



GLAZED VITRIFIED TILES

600x1200 mm

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES

| Characteristics | Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla | Requirement as per ISO 13006 ≤ 0.5% Group Bla | Our Values | Test Method |
|--|---|--|--|---------------------------------|
| A) Dimension & Surface Quality | | | | |
| i) Length & Width | ± 0.1% | ± 0.3% | ± 0.1% | IS 13630 Part 1/ ISO 10545-2 |
| ii) Thickness | ± 5.0% | ± 5.0% | ± 4.0% | |
| iii) Straightness of Side | ± 0.1% | ± 0.3% | ± 0.1% | |
| iv) Rectangularity | ± 0.1% | ± 0.3% | ± 0.1% | |
| v) Surface Flatness | | | | |
| a) Center curvature (%) (max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | |
| b) Edge curvature (%) { max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | |
| c) Corner warpage %)(max.Deviation) | ± 0.5% | ± 0.4% | ± 0.2 % | |
| vi) Surface Quality | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | |
| B) Physical Properties | | | | |
| i) Water Absorption | Av E ≤ 0.08 %, Individual 0.1 max | Av ≤ 0.5 %, Individual 0.6% max | Avg. E ≤ 0.08 % | IS 13630 Part 2/ ISO 10545-3 |
| ii) Modulus of Rupture [N/mm ²] | Av 35, Individual 32 min | Av 35, Individual 32 min | Avg, 35 Ind 32 | IS 13630 Part 6/ISO 10545-4 |
| iii) Breaking Strength in N | Min. 1300 | Min. 1300 | Min. 1300 | |
| iv) Moisture Expansion in mm/m | 0.02 | Test Method Available | 0.02 | IS 13630 Part 3/ISO-10545-10 |
| v) Scratch Hardness of surface (Mohs) | Min 5 | N/A | Min.5 (for VC & RT), Min.3 (for Polished) | IS 13630 Part 13 |
| vi) Resistance to Abrasion of glazed tiles(Class I to V) | Min II | Abrasion Class & Cycle passed | Class-V (for VC & RT), Class-III (for Polished) | IS 13630 Part 11 /ISO 10545-7 |
| vii) Coefficient of linear thermal expansion from ambient temperature to 100° C | 6 X 10 ⁻⁶ K ⁻¹ Max | Test Method Available | Max 6 X 10 ⁻⁶ K ⁻¹ max | IS 13630 Part 4/ ISO 10545-8 |
| viii) Thermal Shock Resistance | 10 cycle min | Test Method Available | 10 cycle passed | IS 13630 Part 5/ISO-10545-9 |
| ix) Craze Resistance | 4 cycle @ 7.5bar min | Required | 4 cycle passed | IS 13630 Part 9/ISO 10545-11 |
| x) Impact Resistance as Co-efficient of Re stitution | 0.55 min | Required | Min 0.55 | ISO 10545-5 |
| xi) Frost Resistance | Required | Required | 100 Cycle Passed | IS 13630 Part 10/ISO 10545-12 |
| C) Chemical Resistance (glazed Tiles) | | | | |
| i) Stain Resistance | Min Class 1 | Min Class 3 | Min Class-1 | IS 13630 Part 8 &ISO 10545-14 |
| ii) Resistance to household chemicals | Min Class AA | Min Class GB | Min Class AA | IS 13630 Part 8/ ISO 10545-13 |
| iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds) | Required if agreed | Declared Value' | Min Class AA | |

PACKING DETAIL FOR 600x1200MM GVT TILES

| Nominal Size | Thickness(mm) | Average weight per carton (Kgs) | No. of tiles per carton | Coverage area per carton |
|--------------|---------------|---------------------------------|-------------------------|--------------------------|
| 600x1200mm | 9.0 (Approx) | 28.00 (Approx) | 2 | 1.44sq.mtr./15.50sq.ft. |

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixd. Complaints will not be entertained for Borders, Highlighters & Motifs.



www.eddicceramics.com



EDDICA CERAMICS LLP

Survey No. 329-1, Opp. Somnath Petrol Pump,
Rangpar (Bela), Morbi - 363642, Gujarat, INDIA.

+91 95122 30015 info@eddicceramics.com www.eddicceramics.com