

Statement
LUXURY



— 600X1200MM —

GLOSSY
COLLECTION



About Us

EDDICA CERAMICS offers several types of Ceramic & Vitrified tiles to compliment any environmental imagination. We supply the most durable & delightful material in all over the world.

We are leader in manufacturing & exporting of ceramic & vitrified tiles from India for wall and floor coverings of residential, retail and industrial projects. The promoters of EDDICA CERAMICS have a vast 15 Years experience in this industries, Which makes EDDICA CERAMICS as one of the most reputed & reliable brand worldwide.

With a range of more collections, EDDICA CERAMICS has been adding to the prestige of Italian-made coverings world-wide from 2016, and is constantly demonstrating its commitment to the creation of tiles with high technical and stylistic value, characterized by leading-edge design of an excellence reflected by prizes and awards.

Digital Glazed Vitrified Tiles

Eddica Ceramics presents a new collection of Digital Glazed Vitrified Tiles made with glazed surfaces with the use of digital technology for printing exquisite designs printed on the glaze coating, resulting in a wide range of beautiful tile designs according to the trends. There are a multitude of design possibilities, encompassing design variations, high-resolution printing, and sharper finishes.

Advantages Features



LONG DURABILITY



EASY TO CLEAN



IMPACT RESISTANCE



FIRE RESISTANCE



CHEMICAL RESISTANCE



FROST RESISTANCE



LOW WATER ABSORPTION

Tiles Use In Application



RESIDENTIAL



COMMERCIAL



HOTEL & RESTAURANT



HOSPITAL



AIRPORT



SCHOOL & COLLEGE



GYMNASIUM



MALL & SUPER MARKET



SPA



RELIGIOUS PLACE



HALL CORRIDOR



INDUSTRY



GLOSSY

COLLECTION

600X1200MM

— GVT & PGVT —

Presenting Our GLOSSY COLLECTION features, a stunning mirror-like shine that effortlessly illuminates any space, creating a sense of lightness and brightness. These tiles are exceptionally easy to clean and maintain, while their smooth surfaces exude a luxurious ambiance and deliver a contemporary touch.




ANATONIA GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05




ANTIQUÉ ONICI

Size : 600x1200mm

Finish : Glossy

Random : 05





ARMANI BIANCO


Size : 600x1200mm

Finish : Glossy

Random : 04



ARMANI GREY







ARMANI CREMA

Size : 600x1200mm

Finish : Glossy

Random : 04



ARMANI BROWN



✉ DEPARTURES

TIME	DESTINATION	FLIGHT	GATE	REMARKS
12:39	BERLIN	BA 903	31	CANCELLED
12:57	SYDNEY	QF5723	27	CANCELLED
13:08	TORONTO	AC5984	22	CANCELLED
13:21	TOKYO	JL 008	41	CANCELLED
13:37	HONG KONG	CX5471	29	CANCELLED
13:48	MADRID	IB3941	30	CANCELLED
14:19	LONDON	LH5021	28	CANCELLED
14:35	NEW YORK	AA 997	11	CANCELLED
14:54	PARIS	AF5870	23	CANCELLED
15:10	ROME	AZ5324	43	CANCELLED




ARMANI MUSHROOM

Size : 600x1200mm

Finish : Glossy

Random : 04



ARSENAL GREY

Size : 600x1200mm

Finish : Glossy

Random : 05




ASTOR NATURAL

Size : 600x1200mm

Finish : Glossy

Random : 03



ASTRED BEIGE

Size : 600x1200mm

Finish : Glossy

Random : 05





ASTRED NATURAL

Size : 600x1200mm

Finish : Glossy

Random : 05



AURUM CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



AVLON BIANCO


Size : 600x1200mm

Finish : Glossy

Random : 05



AVLON GRIS






AVLON CREMA

Size : 600x1200mm



Finish : Glossy

Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT

AVLON BROWN






AVLON KOTA

Size : 600x1200mm


Finish : Glossy

Random : 05




BALTIMOR VERDE

Size : 600x1200mm
Finish : Glossy
Random : 05




- Liquid Repellent
- Stain Resistant
- Scratch Resistant
- Fire Resistant
- Resistant to UV Rays
- Impact Resistant
- Frost Resistant



BETON BEIGE

Size : 600x1200mm
Finish : Glossy
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



BOTTICINO CLASSICO BEIGE

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



BOTTICINO CLASSICO GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05



BOTTOCHINO BEIGE

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



BOTTOCHINO GREY

Size : 600x1200mm
Finish : Glossy
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



BRECCIA AURORA

Size : 600x1200mm
Finish : Glossy
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



BRECCIA GOLD

Size : 600x1200mm
Finish : Glossy
Random : 05



- Liquid Repellent
- Stain Resistant
- Scratch Resistant
- Fire Resistant
- Resistant to UV Rays
- Impact Resistant
- Frost Resistant




BREXIT BIANCO

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT

BREXIT GRIS



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT





BREXIT CREMA



Size : 600x1200mm

Finish : Glossy

Random : 05




BREXIT BROWN





BREXIT OLIVE

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIVID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



CEPPO CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05



CEPPO GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05




CHAMP CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05




CLASSIC EMPREDOR BIANCO

Size : 600x1200mm

Finish : Glossy

Random : 03



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT








RESISTANT TO UV RAYS




IMPACT RESISTANT



FROST RESISTANT



CLASSIC EMPREDOR GRAFITO



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT







RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT






CLASSIC EMPREDOR CREMA

Size : 600x1200mm

Finish : Glossy

Random : 03



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT




RESISTANT TO UV RAYS




IMPACT RESISTANT



FROST RESISTANT



CLASSIC EMPREDOR BROWN



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT




RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT







CLAUDIA CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05




CLAUDIA GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



CORE ONYX CREMA

Size : 600x1200mm
Finish : Glossy
Random : 03



- Liquid Repellent
- Stain Resistant
- Scratch Resistant
- Fire Resistant
- Resistant to UV Rays
- Impact Resistant
- Frost Resistant




CORE ONYX SILVER

Size : 600x1200mm

Finish : Glossy

Random : 03





CREMA MARFIL

Size : 600x1200mm


Finish : Glossy

Random : 05



DIAMOND NATURAL

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




DIJON GREY

Size : 600x1200mm



Finish : Glossy

Random : 05



DOLOMITE GREEN

Size : 600x1200mm
Finish : Glossy
Random : 05



- Liquid Repellent
- Stain Resistant
- Scratch Resistant
- Fire Resistant
- Resistant to UV Rays
- Impact Resistant
- Frost Resistant



DYNA NATURAL BEIGE

Size : 600x1200mm
Finish : Glossy
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



DYNA NATURAL GRAFITO

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



DYNA PEARL CREMA

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



DYNA PEARL GRIS

Size : 600x1200mm
Finish : Glossy
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



ELISA BLUE

Size : 600x1200mm
Finish : Glossy
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



ELISA BROWN

Size : 600x1200mm
Finish : Glossy
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




EXPRESS BLUE

Size : 600x1200mm
Finish : Glossy
Random : 03





- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



EXPRESS CREMA

Size : 600x1200mm
Finish : Glossy
Random : 03



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT





FRENCH CREMA



Size : 600x1200mm

Finish : Glossy

Random : 03




FRENCH BROWN







FRENCH GRIS

Size : 600x1200mm
Finish : Glossy
Random : 03



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT

FRENCH GRAFITO




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



HAITI ONYX

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




HARLIN CREMA

Size : 600x1200mm
Finish : Glossy
Random : 05




- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



LACORTE CREMA

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




LACORTE VERDE

Size : 600x1200mm
Finish : Glossy
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



GLAZED VITRIFIED TILES

600x1200 mm

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES				
Characteristics	Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectangularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
b) Edge curvature (%) { max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
c) Corner warpage %)(max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E ≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min. 1300	Min. 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min.5 (for VC & RT), Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for VC & RT), Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Craze Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Re stitution	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value'	Min Class AA	

PACKING DETAIL FOR 600x1200MM GVT TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	9.0 (Approx)	28.00 (Approx)	2	1.44sq.mtr./15.50sq.ft.

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixd. Complaints will not be entertained for Borders, Highlighters & Motifs.



www.eddicceramics.com



EDDICA CERAMICS LLP

Survey No. 329-1, Opp. Somnath Petrol Pump,
Rangpar (Bela), Morbi - 363642, Gujarat, INDIA.

☎ +91 95122 30015 ✉ info@eddicceramics.com 🌐 www.eddicceramics.com